



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

* SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: **TRW DOT 4 Brake Fluid GRAND PRIX 600**

· Article number: PFB601, PFB601CE, PFB601SE, PFB601RE

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Brake fluid

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

ZF Aftermarket UK Ltd.
Abbeyfield Road
Lenton
Nottingham, NG7 2SX
Tel +44 333 240 1123
Fax +44 115 986 92 61
<https://www.zf.com>

· Informing department:

Phone: +49 (0) 7541 77 0

E-Mail adress of the competent person for the safety data sheet:
reach@dekra.com

· 1.4 Emergency telephone number:

Poison Information Center Munich
Phone: +49 (0) 89 - 19 240
Information in German and English

* SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



health hazard

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS08

· Signal word Warning

· Hazard-determining components of labelling:

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

(Contd. on page 2)

GB



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 1)

• Hazard statements

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

• Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection / face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information:

Please refer to further labelling elements in section 15 of this safety data sheet, if applicable.

• 2.3 Other hazards**• Results of PBT and vPvB assessment****• PBT:** Not applicable.**• vPvB:** Not applicable.*** SECTION 3: Composition/information on ingredients****• 3.2 Mixtures****• Description:**Mixture of the substances listed below including additives not requiring identification.
Added are corrosion and oxidation inhibitors.**• Dangerous components:**

CAS: 30989-05-0 EINECS: 250-418-4 Reg.nr.: 01-2119462824-33-X	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate ☠ Repr. 2, H361fd	80 - 95%
CAS: 143-22-6 EINECS: 205-592-6 Reg.nr.: 01-2119475107-38-X	2-[2-(2-butoxyethoxy)ethoxy]ethanol ☠ Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 %	10 - 15%
CAS: 1559-34-8 EINECS: 216-322-1 Reg.nr.: 01-2120768763-41-X	3,6,9,12-tetraoxahexadecan-1-ol ☠ Eye Irrit. 2, H319	1 - 3%
CAS: 111-77-3 EINECS: 203-906-6 Reg.nr.: 01-2119475100-52-X	Methoxydiglycol ☠ Repr. 1B, H360D Specific concentration limit: Repr. 1B; H360D: C ≥ 3 %	0 - <3%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-X	2-(2-butoxyethoxy)ethanol ☠ Eye Irrit. 2, H319	<1%

• Additional information For the wording of the listed hazard phrases refer to section 16.*** SECTION 4: First aid measures****• 4.1 Description of first aid measures****• General information**

Show this safety data sheet to the attending physician.

Personal protection for the First Aider.

(Contd. on page 3)

GB



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 2)

Instantly remove any clothing contaminated by the product.

- **After inhalation**

Supply fresh air; consult doctor in case of symptoms.

In case of unconsciousness bring patient into stable side position for transport.

- **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- **After eye contact**

Use eye protection.

Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.

Remove contact lenses if possible.

In case of permanent aches and pains please go and see the doctor.

- **After swallowing**

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents**

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

- **5.2 Special hazards arising from the substance or mixture**

Inhalation of combustion gases may cause serious health hazards.

Can be released in case of fire:

Carbon monoxide and carbon dioxide

Formation of flammable mixtures of vapours with air possible.

- **5.3 Advice for firefighters**

- **Protective equipment:** Wear self-contained breathing apparatus.

- **Additional information**

Remove goods in stock from incendiary zone, if possible.

Use water to keep fire exposed containers cool.

* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Clear the danger zone.

Ensure adequate ventilation

Avoid contact with the product.

Particular danger of slipping on leaked/spilled product.

- **For non-emergency personnel** Evacuate personnel to safe area.

- **For emergency responders** Put on suitable personal protective equipment.

- **6.2 Environmental precautions:**

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter drainage system, surface or ground water.

(Contd. on page 4)

GB



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 3)

- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Dispose of contaminated material as waste according to section 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

* SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Prevent formation of aerosols.
Open and handle container with care.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
The product forms flammable fumes when heated.
- **Handling**
The usual precautionary measures should be adhered to general rules for handling chemicals.
Do not eat, drink or smoke while working.
Avoid direct contact with eyes, skin and clothing.
Wash hands during breaks and at the end of the work.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Store cool and dry in well sealed containers.
Store only in the original container.
Ensure sufficient ventilation.
- **Information about storage in one common storage facility:**
Store away from oxidising agents.
Keep away from food, drink and animal feeding stuffs.
- **Further information about storage conditions:**
Protect from humidity and keep away from water.
Protect from heat and direct sunlight.
Protect from frost.
Recommended storage temperature: 15-30 °C
- **7.3 Specific end use(s)** Brake fluid

* SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
WEL: workplace exposure limit
OEL: Occupational Exposure Limit

111-77-3 Methoxydiglycol

WEL (Great Britain)

Long-term value: 50.1 mg/m³, 10 ppm
Sk

(Contd. on page 5)

GB

Safety data sheet
according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 4)

IOELV (European Union)	Long-term value: 50.1 mg/m ³ , 10 ppm Skin
OEL (Ireland)	Long-term value: 50.1 mg/m ³ , 10 ppm Skin, IOELV
112-34-5 2-(2-butoxyethoxy)ethanol	
WEL (Great Britain)	Short-term value: 101.2 mg/m ³ , 15 ppm Long-term value: 67.5 mg/m ³ , 10 ppm
IOELV (European Union)	Short-term value: 101.2 mg/m ³ , 15 ppm Long-term value: 67.5 mg/m ³ , 10 ppm
OEL (Ireland)	Short-term value: 101.2 mg/m ³ , 12 ppm Long-term value: 67.5 mg/m ³ , 10 ppm IOELV

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

- Keep away from foodstuffs, beverages and food.
- Take off all contaminated clothing immediately.
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

- Not necessary if room is well-ventilated.
- Use breathing protection only when aerosol or mist is formed.
- Filter A/P2.

· **Hand protection**



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Only use chemical-protective gloves with CE-labelling of category III (EN 374).

· **Material of gloves**

- Butyl rubber, BR
- Nitrile rubber, NBR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

In case of a layer thickness of ≥ 0.4 mm the penetration time is longer than 480 minutes.

· **Eye/face protection**



Tightly sealed safety glasses.

**Safety data sheet**
according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 5)

*** SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

· Colour:

Amber coloured

· Odour:

Mild

· Odour threshold:

Not determined.

· Melting point/freezing point:

< -50 °C (SAE J 1703)

· Boiling point or initial boiling point and boiling range

> 260 °C (SAE J 1703)

· Flammability

Not applicable.

· Lower and upper explosion limit**· Lower:**

Not determined.

· Flash point:

> 120 °C (IP 35)

· Auto-ignition temperature:

> 280 °C (ASTM D 286)

· Decomposition temperature:

> 300 °C

300 °C

· SADT**· pH at 20 °C**

7 - 10.5 (SAE J 1703)

· Viscosity:**· Kinematic viscosity at 20 °C**5 - 10 mm²/s**· dynamic:**

Not determined.

· Solubility**· Water:**

Fully miscible

· Partition coefficient n-octanol/water (log value)

1.5 log POW

1.5

· Vapour pressure:

Not determined.

· Density and/or relative density**· Density at 20 °C**1.02 - 1.07 g/cm³ (DIN 51757)**· 9.2 Other information****· Appearance:****· Form:**

Fluid

· Important information on protection of health and environment, and on safety.**· Self-inflammability:**

Product is not selfigniting.

· Explosive properties:

Product is not explosive.

· Solvent content:**· Organic solvents:**

1 - < 4 %

· Change in condition**· Evaporation rate**

Not determined.

· Information with regard to physical hazard classes**· Explosives**

Void

· Flammable gases

Void

· Aerosols

Void

· Oxidising gases

Void

· Gases under pressure

Void

· Flammable liquids

Void

(Contd. on page 7)

GB



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 6)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
 - **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
 - **10.3 Possibility of hazardous reactions**
Possible formation of peroxide
Reacts with light alloys to form hydrogen
 - **10.4 Conditions to avoid** Heat.
 - **10.5 Incompatible materials:**
Avoid contact with strong oxidizing agents.
Can attack paints and coatings as well as some plastics and rubber.
 - **10.6 Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.
-

* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate		
Oral	LD50	> 2,000 mg/kg (Rat) (OECD 401)
Dermal	LD50	> 2,000 mg/kg (Rat) (OECD 402)
143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol		
Oral	LD50	5,170 mg/kg (Rat)
Dermal	LD50	3,540 mg/kg (rabbit)
1559-34-8 3,6,9,12-tetraoxahexadecan-1-ol		
Oral	LD50	2,630 mg/kg (Rat)
Dermal	LD50	3,540 mg/kg (rabbit)
111-77-3 Methoxydiglycol		
Oral	LD50	7,128 mg/kg (mouse) (OECD 201)

(Contd. on page 8)

— GB —



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 7)

Dermal	LD50	9,404 mg/kg (rabbit) (OECD 402)
Inhalative	LC0	> 1.2 mg/l/6h (Rat) (OECD 403)
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	5,660 mg/kg (Rat)
Dermal	LD50	2,764 mg/kg (rabbit) (OECD 402)
Inhalative	LC0	67.5 mg/l/0.5h (human)

- **Skin corrosion/irritation** Long-term skin contact may cause skin irritation and/or dermatitis.
- **Serious eye damage/irritation** Splashes can cause temporary eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Suspected of damaging fertility. Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**

Repeated dose toxicity**143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol**

Oral NOAEL (90d) 500 mg/kg bw/day (Rat)

111-77-3 Methoxydiglycol

Oral	NOAEL (28d)	900 mg/kg bw/day (Rat) (OECD 407)
Dermal	NOAEL (90d)	40 mg/kg bw/day (guinea pig) (OECD 411)
Inhalative	NOAEC (90d)	> 1,060 mg/m ³ (Rat) (OECD 413)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	NOAEL (90d)	250 mg/kg bw/day (Rat) (OECD 408)
Dermal	NOAEL (90d)	2,000 mg/kg bw/day (Rat) (OECD 411)
Inhalative	NOAEC (90d)	94 mg/m ³ (Rat) (OECD 413) Vapour

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Repr. 2

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

*** SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate**

EC50	> 211.2 mg/l/48h (Daphnia magna) (OECD 202)
LC50	> 222.2 mg/l/96h (Oncorhynchus mykiss) (OECD 203)
EC50	> 224.4 mg/l/72h (Raphidocelis subcapitata) (OECD 201)

(Contd. on page 9)

GB



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 8)

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol	
EC50 (static)	2,210 mg/l/48h (Daphnia magna) (EU C.2)
EC0 (static)	2,150 mg/l/96h (fish) (DIN 38 412-L15)
LC50	2,400 mg/l/96h (Pimephales promelas) 2,200 - 4,600 mg/l/96h (fish) (DIN 38412-15)
EC50 (static)	840 mg/l/72h (Desmodesmus subspicatus) (OECD 201)
NOEC (static)	1,000 mg/l/96h (fish) (DIN 38 412-L15)
1559-34-8 3,6,9,12-tetraoxahexadecan-1-ol	
EC50	> 3,200 mg/l/48h (Daphnia magna) (OECD 202)
LC50	> 1,800 mg/l/96h (Scophthalmus maximus) (OECD 203)
EC50	2,490 mg/l/72h (Algae)
111-77-3 Methoxydiglycol	
EC50 (static)	1,192 mg/l/48h (Daphnia magna)
EC50 (static)	> 1,000 mg/l/96h (Selenastrum capricornutum) (OECD 201)
LC50 (static)	5,741 mg/l/96h (Pimephales promelas)
112-34-5 2-(2-butoxyethoxy)ethanol	
EC50 (static)	> 100 mg/l/48h (Daphnia magna) (OECD 202)
EC50 (static)	> 100 mg/l/96h (Desmodesmus subspicatus) (OECD 201)
LC50 (static)	1,300 mg/l/96h (Lepomis macrochirus) (OECD 203)

- **12.2 Persistence and degradability** Easily biodegradable
- **Other information:** There are no data available about the preparation.
- **12.3 Bioaccumulative potential**
Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

* SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The waste code numbers mentioned are recommendations based on the probable use of the product.

European waste catalogue	
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01 00	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)

(Contd. on page 10)

**Safety data sheet
according to UK REACH**

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 9)

16 01 13*	brake fluids
HP4	Irritant - skin irritation and eye damage
HP10	Toxic for reproduction

· Uncleaned packagings:**· Recommendation:**

Disposal must be made according to official regulations.

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Cleaned packing materials have to be admitted to local recycling circuits.

· Recommended cleaning agent: Water, if necessary with cleaning agent.**SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR/RID, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR/RID, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

*** SECTION 15: Regulatory information****· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· Poisons Act

· Regulated explosives precursors	None of the ingredients is listed.
· Regulated poisons	None of the ingredients is listed.
· Reportable explosives precursors	None of the ingredients is listed.

(Contd. on page 11)

GB



Safety data sheet according to UK REACH

Printing date 29.07.2024

Version number 7 (replaces version 6)

Revision: 29.07.2024

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 10)

· Reportable poisons

None of the ingredients is listed.

· Chemical safety assessment**· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· REGULATION (EU) 2019/1148****· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.*** SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H360D May damage the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

· Department issuing data specification sheet:

This Safety Data Sheet has been drawn up in cooperation with:
DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

Repr. 2: Reproductive toxicity – Category 2

· Sources Because of lack on recipe information, this SDS was created on the basis of the supplier's SDS.**· * Data compared to the previous version altered.**

— GB —