

Car Powertrain Technology

Manual transmissions, double-clutch transmissions and automatic transmissions for cars

List of lubricants TE-ML 11

| Table of contents | Page |
|---|----------------|
| 1. Manual transmissions | 2 |
| 2. Double-clutch transmissions | |
| 3. Automatic transmissions | |
| 4. Explanation of footnotes and comments | |
| 5. Maintenance recommendations ZF automatic transmissions | 6 |
| 6. Lubricant classes and approved trade products | - 7 |

The list of lubricants TE-ML 11, **edition 10.10.2024** replaces all previous editions. The current list can be requested from any ZF after-sales service center or accessed on the Internet under www.aftermarket.zf.com/lubricants.

ZF Friedrichshafen AG D-88038 Friedrichshafen www.zf.com/contact

1. Manual transmissions

| Product groups | Approved lubricants for service fills |
|---|---|
| S5-31 S5-39 | According to spare part number of vehicle manufacturer: - Castrol BOT 338 (ZF approval number ZF001053) => BMW Oil No. 2300 7533 513 => Castrol Transmax Manual B 75W |
| S6-37 | According to spare part number of vehicle manufacturer: - Esso Gear Oil 304 / BMW Oil No. 2300 1434 404 (clutch bell housing label MTF-LT1) no longer available => replaced by Castrol BOT 338 (ZF approval number ZF001053) - Castrol BOT 338 (ZF approval number ZF001053) => BMW Oil No. 2300 7533 513 (clutch bell housing label MTF-LT2) => Castrol Transmax Manual B 75W - Castrol BOT 207 (ZF approval number ZF001069) => BMW Oil No. 2300 7533 818 (clutch bell housing label MTF-LT3) Warning: use of incorrect lubricant can cause transmission failure |
| S6-35 S6-45 S6-50 | According to spare part number of vehicle manufacturer: - Fuchs Titan FFL-3 (ZF approval number ZF004742) => ZF Oil No. 0671.090.534 (ZF LifeguardFluid 7.3 DCT / ZF Lifeguard eFluid 2), (ZF approval number ZF004795) => BMW Oil No. 8322 2167 666 (MTF-LT-5) => Daimler Oil No. A 002 989 04 03 => JLR Oil No. GX73-M1R564-AA |
| S6-53 | According to spare part number of vehicle manufacturer: - Esso Gear Oil 304 / BMW Oil No. 2300 1434 404 (clutch bell housing label MTF-LT1) no longer available => replaced by Castrol BOT 338 (ZF approval number ZF001053) - Castrol BOT 338 (ZF approval number ZF001053) => BMW Oil No. 2300 7533 513 (clutch bell housing label MTF-LT2) => VW Oil No. N 05279800 => Castrol Transmax Manual B 75W - Castrol BOT 207 (ZF approval number ZF001069) => BMW Oil No. 2300 7533 818 (clutch bell housing label MTF-LT3) Warning: use of incorrect lubricant can cause transmission failure |
| 6S530 | According to spare part number of vehicle manufacturer: - Castrol BOT 338 (ZF approval number ZF001053) => Nissan Oil No. 32001 1BY0A => Castrol Transmax Manual B 75W |
| S7-45HL, S7-45HLA S7-47HL S7-55HL, S7-55HLA | According to spare part number of vehicle manufacturer: - ExxonMobil Mobilube PTX 75W-90 (ZF approval number ZF001808) => Porsche Oil No. 999.917.067.00 or => Porsche Oil No. 999.917.090.00 or - ExxonMobil Mobilube PTX FE 75W-80 (ZF approval number ZF002243) => Porsche Oil No. N 052554 B0 |
| S7-48HL S7-57HL, S7-57HLA | According to spare part number of vehicle manufacturer: - ExxonMobil Mobilube PTX FE 75W-80 (ZF approval number ZF002243) => Porsche Oil No. N 052554 B0 |

2. Double-clutch transmissions

| Product groups | Approved lubricants for service fills |
|--|---|
| 7DT45HL, 7DT45HLA, 7DT45FL 7DT46HL, 7DT46HLA, 7DT46FL 7DT47HL 7DT48HL 7DT49HL 7DT50HL 7DT51HL 7DT55HL, 7DT55HLA, 7DT55FL 7DT70HLA 7DT71HLA 7DT72HLA 7DT78HL | According to spare part number of vehicle manufacturer: 1. Clutch section Fuchs Titan FFL-3 (ZF approval number ZF004742) => ZF Oil No. 0671.090.534 (ZF LifeguardFluid 7.3 DCT / ZF Lifeguard eFluid 2), (ZF approval number ZF004795) => Porsche Oil No. 999.917.080.00 2. Transmission section ExxonMobil Mobilube PTX 75W-90 (ZF approval number ZF001808) => Porsche Oil No. 999.917.067.00 or => Porsche Oil No. 999.917.090.00 |
| 7DT71HLA | According to spare part number of vehicle manufacturer: 1. Clutch section => Porsche Oil No. 999.917.080.01 2. Transmission section ExxonMobil Mobilube PTX 75W-90 (ZF approval number ZF001808) => Porsche Oil No. 999.917.067.00 or => Porsche Oil No. 999.917.090.00 |
| 7DT75, 7DT75A 7DT76, 7DT76A | According to spare part number of vehicle manufacturer: Fuchs Titan FFL-3 (ZF approval number ZF004742) => ZF Oil No. 0671.090.534 (ZF LifeguardFluid 7.3 DCT / ZF Lifeguard eFluid 2), (ZF approval number ZF004795) => Porsche Oil No. 999.917.080.00 |
| 8DT80, 8DT80A, 8DT80APH 8DT90, 8DT90A, 8DT90APH | According to spare part number of vehicle manufacturer: - Fuchs Titan FFL-8 (ZF approval number ZF004743) => ZF Oil No. 0671.090.545 (ZF LifeguardFluid 8.2), (ZF approval number ZF005968) => Porsche Oil No. 000.043.210.44 => Bentley Oil No. G 052524 B2 |
| 8DT55HL, 8DT55HLA 8DT80HLA | According to spare part number of vehicle manufacturer: 1. Clutch section Fuchs Titan FFL-8 (ZF approval number ZF004743) => ZF Oil No. 0671.090.545 (ZF LifeguardFluid 8.2), (ZF approval number ZF005968) => Porsche Oil No. 000.043.210.44 2. Transmission section ExxonMobil Mobilube PTX FE 75W-80 (ZF approval number ZF002243) => Porsche Oil No. N 052554 B0 |

3. Automatic transmissions

| Product groups | Approved lubricants for service fills |
|--|---|
| 3HP22, 3HP22Q, 4HP14Q, 4HP18FL ⁽¹⁾ , 4HP18FLA ⁽²⁾ , 4HP18FLE ⁽¹⁾ , 4HP18Q, 4HP18QE, 4HP22, 4HP22EH, 4HP22HL ⁽³⁾ , 4HP24, 4HP24A ⁽²⁾ | Automatic Transmission Fluid (ATF) according to lubricant classes 11A / 11B => Refer to the following pages for approved commercial products or Automatic Transmission Fluid (ATF) based on mineral base fluids according to former Dexron-III / Dexron-III specification by General Motors. => without listing |
| 5HP18 | According to marking: - Transmissions with black type plate Automatic Transmission Fluid (ATF) according to lubricant class 11B => Refer to the following pages for approved commercial products - Transmissions with green type plate or with green label on the oil pan. ZF LifeguardFluid 5 (ZF No. S671 090 170), (ZF approval number ZF001363) => BMW Oil No. 8322 9407807 ATF according to lubricant class 11B are not permitted (exception: ZF LifeguardFluid 5) Warning: use of incorrect lubricant can cause transmission failure |
| 5HP30 | According to spare part number of vehicle manufacturer: - Shell ATF LA-2634 / BMW Oil No. 8322 9407765 (Marking of filling port of oil pan) no longer available => replaced by ZF LifeguardFluid 5, (ZF approval number ZF001363) - ZF LifeguardFluid 5 (ZF No. S671 090 170), (ZF approval number ZF001363) => BMW Oil No. 8322 9407807 (Marking of filling port of oil pan) => Rolls Royce Oil No. PL 31493PA |
| 4HP20, 5HP19, 5HP19FL ⁽¹⁾ , 5HP19FLA ⁽²⁾ , 5HP19HL ⁽¹⁾ , 5HP19HLA ⁽²⁾ , 5HP24, 5HP24A ⁽²⁾ | According to spare part number of vehicle manufacturer: ZF LifeguardFluid 5 (ZF No. S671 090 170), (ZF approval number ZF001363) => Audi / VW Oil No. G 052162 A1 / A2 / A6 => BMW Oil No. 8322 9407807 => Citroen Oil No. Z 000169756 => Jaguar Oil No. JLM 20238 => Mercedes Benz Oil No. A 0019892203 => Peugeot Oil No. Z 000169756 => Porsche Oil No. 999.917.547.00 |
| 6HP19, 6HP19A ⁽²⁾ - MPL-dependent (main parts list) 6HP19X - not for Audi Q7, 6HP21, 6HP21X, 6HP26, 6HP26X, 6HP26A61 - not for vehicles equipped with Audi W12-engine ⁽²⁾ , 6HP28, 6HP28X, 6HP28A61, 6HP32, 6HP32A ⁽²⁾ , 6HP32X | According to spare part number of vehicle manufacturer: ZF LifeguardFluid 6 (ZF No. S671 090 255), (ZF approval number ZF001169) => AML Oil No. 4G4319A509/AA/S => Audi / VW Oil No. G 055005 A1 / A2 / A6 => Bentley Oil No. PY112995PA => BMW Oil No. 8322 0142516 => Hyundai Oil No. 040000C90SG => Jaguar Oil No. Jaguar Fluid 8432 => Land Rover Oil No. TYK500050 => Maserati Oil No. 231603 |
| 6HP19A (2) - MPL-dependent (main parts list) 6HP19X - for Audi Q7, 6HP26A61 - for vehicles equipped with Audi W12-engine (2) 6HP28AF (2) 8HP45, 8HP45X, 8HP45HIS, 8HP45XHIS 8HP50, 8HP50HIS, 8HP50X, 8HP50XHIS; 8HP51HIS, 8HP51X, 8HP55A (2), 8HP55AHIS (2), 8HP55FL, 8HP55FLHIS, 8P55AH (2), 8P55FLH, 8HP65A (4), 8HP65AX (5), 8HP66APH, 8HP70, 8HP70H, 8P70XH, 8HP70XH, 8HP70THIS, 8HP70XHIS, 8HP70X, 8HP75XHIS, 8HP75XHIS, 8HP75XHIS, 8HP75XHIS, 8HP75XHIS, 8HP76X, 8HP76XHIS, 8HP90, 8HP90A (2), 8HP90AHIS (2), 8HP90A74 (2), 8HP95AXPH, 8HP95THIS | According to spare part number of vehicle manufacturer: ZF LifeguardFluid 8 (ZF No. S671 090 312), (ZF approval number ZF000020) => Audi / VW Oil No. G 060162 A1 / A2 / A6 ATF => BMW ATF 3+, Oil No. 83225A12A00 => Jaguar Oil No. 02JDE 26444 => Land Rover Oil No. LR023288 => Chrysler Oil No. 68157995AA => Petronas Tutela Transmission AS8 => Iveco Oil No. 5000 42 124 => Aston Martin Oil No. FD33-19A509-AA => Bentley Oil No. JNV 862 564 D => Porsche Oil No. 000 043 210 54 |

| Product groups (continuation) | Approved lubricants for service fills |
|---|---|
| 8HP65APH, 8HP65AXPH, 8P65FLPH, 8P75PH, 8P75XPH, 9HP48QXR, 9HP48QXO, 9HP48QX, 9HP48Q, 9HP48QL, 9HP50, 9HP50Q, 9HP50QX | According to spare part number of vehicle manufacturer: ZF LifeguardFluid 9 (ZF No. AA01.500.001), (ZF approval number ZF005946) ZF Lifeguard Hybrid 1 (ZF No. AA02.836.455), (ZF approval number ZF008352) => BMW ATF 3+, Oil No. 83225A12A00 => Honda ATF-Type 3.1.: 08263-999-01HE (EU), 08200-9017 (USA) => Jaguar Oil No. 02JDE 26444 (7) => Land Rover Oil No. LR023288 (7) => Mercedes Benz MB 236.82 ATF A 000 989 65 05 => Stellantis Oil No. 68218925AB |
| 8HP60MH, 8HP60XMH, 8HP80MH, 8HP80XMH, 8P80PH, 8P80XPH, 8P100XPH | According to spare part number of vehicle manufacturer: ZF Lifeguard Hybrid 2 (ZF No. 0671.090.548), (ZF approval number ZF008240) => BMW ATF 8, Oil No. 83 22 5 A28 F03 => Land Rover Oil No. LR181789 |

4. Explanation of footnotes and comments

Footnotes

- (1) Filling differential with transmission oil Castrol SAF-AG4 => Audi / VW Oil No. N 052145000, Porsche Oil No. 999.917.545.00.
- (2) Split oil supply front / rear axle differential:
 - Filling front axle differential with transmission oil Castrol SAF-AG4
 - => Audi / VW Oil No. N 052145000, Porsche Oil No. 999.917.545.00
 - Filling rear axle differential with transmission oil Castrol SAF-AG4 + 4% Sturaco FM 1992 KS
 - => Audi / VW Oil No. G 055145 A2

Common oil supply front /rear axle differential:

- Filling with transmission oil Castrol SAF-AG4 + 4% Sturaco FM 1992 KS
- => Audi / VW Oil No. G 055145 A2
- (3) Filling differential with transmission oil API GL-5, MIL-L-2105D, MIL-PRF-2105E, SAE J 3260, viscosity class SAE 75W-90 or SAE 90.
- (4) 8HP65A Status: April 2017

| Application | front-axle differential | rear-axle center differential |
|--|---|---|
| Q5 B9 (A4/A5) TDI 260kW C8 (A6/A7) TDI | Castrol BOT851L, (ZF approval number ZF002036) | |
| D5 (A8) R4 + V6 Q8 R4 + V6 TDI Touareg R4 + V6 TDI | Audi / VW / Porsche Oil No. N.052.190.D0, G.065.190.A2 | Castrol SAF-AG4 + 4% Sturaco FM1992 KS |
| B9 (A4/A5) except for TDI 260kW C8 (A6/A7) TFSI D5 (A8) V8 | Castrol SAF-AG4, (ZF approval number ZF001055) | Audi / VW Oil No. N.052.145.Z0, G.055.145.S2 |
| Q7 Q8 V6 TFSI Touareg V6 TFSI | Audi / VW Oil No. N.052.145.00, G.052.145.A2 | |

- (5) Fill front-axle differential and all-wheel distributor transmission with Castrol BOT851L transmission oil => Audi / VW / Porsche Oil No. N.052.190.D0, G.065.190.A2
- (6) Fill front-axle differential and rear-axle center differential with Castrol SAF-AG4 + 4% Sturaco FM1992 KS transmission oil => Audi / VW Oil No. N.052.145.Z0, G.055.145.S2
- (7) Only valid for service and ZF remanufactured transmissions.

Comments

Additives of any kind added **later** to the oil change the oil in a manner that is unpredictable, and they are therefore not permitted. No liability of any kind will be accepted by ZF for any damage resulting from the use of such additives.

5. Maintenance recommendations ZF automatic transmissions

3/4-speed automatic transmissions:

ZF 3 and 4-speed automatic transmissions must be filled with approved ATF oils according to ZF list of lubricants TE-ML 11, lubricant class 11A / 11B or with mineral ATF oils according to the former Specification Dexron II / Dexron III by General Motors. For oil-change intervals consult the vehicle manufacturer's specifications.

5-, 6-, 8- and 9-speed as well as 4HP20 automatic transmissions:

ZF 5-, 6-, 8- and 9-speed as well as the ZF 4HP20 automatic transmissions are filled maintenance-free with specially developed semi-synthetic ATF oils. However, due to the many factors influencing the service life of transmissions in individual operation, ZF recommends an oil change after 150,000 km for its transmissions. In operating conditions with high temperatures and loads, or with unknown vehicle use in the past, it can make sense to change the transmission oil at shorter intervals.

In each case, only released ATF oil may be used for oil changes. And oil changes must be performed in accordance with the relevant specifications. The exception is the ZF 5HP18 automatic transmission which must be filled differently depending on the version.

The released ATF oils in each case are specified in the ZF Lubricants List TE-ML 11. Please consider also the service specification of the vehicle manufacturer.

ZF approval number

6. Lubricant classes and approved trade products

Lubricant class 11A

Automatic Transmission Fluid (ATF)

| Manufacturer (| (1 | 1/ | A) |
|----------------|----|----|----|
|----------------|----|----|----|

ALEXANDRIA MINERAL OILS COMPANY, ALEXANDRIA/EG CASTROL LTD, LONDON/GB CHEVRON LUBRICANTS, SAN RAMON, CA/US ELLIS ENTERPRISES EAST D.O.O. KRUSEVAC, KRUŠEVAC/RS ELLIS ENTERPRISES EAST D.O.O. KRUSEVAC, KRUŠEVAC/RS ENI SUSTAINABLE MOBILITY S.P.A., ROME/IT EXXONMOBIL CORPORATION, HOUSTON, TX/US EXXONMOBIL CORPORATION, HOUSTON, TX/US INA MAZIVA LTD., ZAGREB/HR KOCAK PETROL URUNLERI SAN.VE TIC.LTD.STI, KOCAELI/TR KUWAIT PETROLEUM INTERNATIONAL LUBRICANT, ANTWERP/NL LIEBHERR HYDRAULIKBAGGER GMBH, KIRCHDORF/DE LIQUI MOLY GMBH, ULM/DE MEGUIN GMBH & CO. KG, SAARLOUIS/DE MOTUL SA, AUBERVILLIERS/FR ORLEN OIL SP. Z O.O., KRAKOW/PL PRISTA OIL HOLDING EAD, RUSE/BG SHELL INTERNATIONAL PETROLEUM COMP. LTD, LONDON/GB UNIL OPAL, SAUMUR/FR UNITED OIL COMPANY PTE LTD, SINGAPORE/SG

Trade name (11A)

| AMOC POWER | ZF001702 |
|---|----------|
| CASTROL TRANSMAX ATF DX II MULTIVEHICLE | ZF003358 |
| TEXAMATIC 4291 | ZF001574 |
| ATF DII | ZF001187 |
| VALVOLINE HEAVY DUTY ATF D-II | ZF008168 |
| ENI ROTRA ATF II D | ZF007174 |
| MOBIL ATF 220 | ZF000033 |
| MOBIL ATF 220 | ZF006029 |
| INA ATF SUPER | ZF000248 |
| SPEEDOL ATF DEXRON II | ZF000979 |
| Q8 AUTO Z3D | ZF003726 |
| LIEBHERR HYDRAULIC-GEAR ATF | ZF002119 |
| LIQUI MOLY ATF DEXRON IID | ZF002052 |
| MEGOL HYDRAULIKOEL ATF DEXRON II D | ZF001992 |
| MOTUL DEXRON II D | ZF001104 |
| HIPOL ATF II D | ZF000081 |
| PRISTA ATF | ZF000355 |
| SHELL SPIRAX S2 ATF AX | ZF005982 |
| MATIC D | ZF001071 |
| UNITED ATF MV 88 | ZF010099 |
| | |

Lubricant class 11B

Automatic Transmission Fluid (ATF)

Manufacturer (11B)

CASTROL LTD, LONDON/GB EXXONMOBIL CORPORATION, HOUSTON, TX/US EXXONMOBIL CORPORATION, HOUSTON, TX/US FUCHS PETROLUB SE, MANNHEIM/DE KUWAIT PETROLEUM INTERNATIONAL LUBRICANT, ANTWERP/NL ZF FRIEDRICHSHAFEN AG, FRIEDRICHSHAFEN/DE

Trade name (11B)

CASTROL TRANSMAX ATF Z MOBIL ATF LT 71141 MOBIL ATF D 21065 FUCHS TITAN ATF 1 Q8 AUTO 15 ZF LIFEGUARDFLUID 5

ZF approval number

ZF002158 ZF000044 ZF000038 ZF003602 ZF002269 ZF001363