



ZF Lifeguard Hybrid 3

Version number: 1
Issued: 2026-08-06

SECTION 1: Identification

Product identifier

Trade name

ZF Lifeguard Hybrid 3

Article No.

5961.308.374

Recommended use of the chemical and restrictions on use

Product type

Mixture

Use

Lubricant Containers $\geq 20\text{l}$ for commercial use only

Not suitable for use in

No uses advised against identified.

Supplier's details

SDS created by

Global Division B Product Compliance Mgmt. System (BWC)

Supplier

ZF Services, LLC

Address

ZF Services Region North
America Headquarters
777 Hickory Hill Drive
Vernon Hills
60061 Illinois
USA

Telephone

+1 847 478 6868

Email

msds.zf-aftermarket@zf.com

Contact person

Global Division B Product Compliance Mgmt. System (BWC)

Email address

msds.zf-aftermarket@zf.com



SAFETY DATA SHEET

According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1

Issued: 2026-08-06

Emergency phone number

" 1-800-222-1222 (general poison US emergency number) (+49) 89 19 240"

Available outside office hours

Yes

SECTION 2: Hazard identification

Classification of the substance or mixture and any national or regional information

Classification according to Regulation (US HCS) 29 CFR 1910.1200

Classification

Aspiration hazard, hazard category 1

Hazard statements

H304

Description

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200): The product has been classified and labelled as hazardous according to the legislation in force.

Label elements, including precautionary statements

Labeling according to Regulation (US HCS) 29 CFR 1910.1200

Hazard pictograms



Signal word

Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal..



ZF Lifeguard Hybrid 3

Version number: 1
Issued: 2026-08-06

More information

Ingestion: If ingested, material may be aspirated into the lungs and cause chemical pneumonitis.
Treat appropriately.

Other hazards which do not result in classification

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

Unknown toxicity: Due to information available product does not contain any ingredients of unknown toxicity.

SECTION 3: Composition/information on ingredients

Mixture

Chemical name	CAS No. EC No. REACH No. Index No.	Concentra- tion	Classification	H-phrase M factor acute M factor chronic	Specific concentra- tion limits ATE	Note
Base oil paraffinic	64742-54-7 265-157-1 01-2119484627- 25 649-467-00-8	50 - 100%	Asp. Tox. 1	H304 - -		ATE (oral): >5000 mg/kg; ATE (dermal): >5000 mg/kg; ATE (inhal- ation): 5 mg/kg

Product based on

Mixture containing severely refined base oils and additives.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation EC 1272/2008."



SAFETY DATA SHEET

According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1

Issued: 2026-08-06

SECTION 4: First-aid measures

Description of necessary first-aid measures

Instantly remove any clothing soiled by the product.

Inhalation

Supply fresh air; consult doctor in case of symptoms.

Skin contact

Wash with soap and water.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

Indication of immediate medical attention and special treatment needed, if necessary

Get medical attention if symptoms occur.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added.

Unsuitable extinguishing media

Water with a full water jet.

Specific hazards arising from the chemical (e.g. nature of any hazardous combustion products).

During fire, gases hazardous to health may be formed.



SAFETY DATA SHEET

According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1

Issued: 2026-08-06

Special protective actions for fire-fighters

Special protective equipment for fire-fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire-fighting procedures: Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

In case of spills, beware of slippery floors and surfaces.

Environmental precautions

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

Methods and materials for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

Reference to other sections

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling. See Section 13 for information on disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Preventive handling precautions

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

Conditions for safe storage, including any incompatibilities

Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.



SAFETY DATA SHEET

According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1

Issued: 2026-08-06

Specific end use(s)

Not applicable.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure limits

None of the components have assigned exposure limits.

Appropriate engineering controls

Appropriate engineering controls

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

General information: Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

Hygiene measures: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

Personal Protective Equipment Symbols



Eye / face protection

Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.



SAFETY DATA SHEET

According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1

Issued: 2026-08-06

Hand protection

Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: ≥ 480 min

Recommended thickness of the material: ≥ 0.38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other skin protection

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

Respiratory protection

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

Thermal hazards

No data available.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colorless

Odour

Characteristic

Odour threshold

Not applicable for mixtures

Melting point / freezing point

-45 °C (-49°F)

Boiling point or initial boiling point and boiling range

Value not relevant for classification



SAFETY DATA SHEET

According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1

Issued: 2026-08-06

Flammability

Value not relevant for classification [solid, gas]

Lower and upper explosion limit

Not applicable for mixtures

Flash point

202 °C (395.6°F)

Auto-ignition temperature

Value not relevant for classification

Decomposition temperature

Value not relevant for classification

pH

substance/mixture is non-soluble (in water)

Kinematic viscosity

17.5 mm²/s (40 °C)

Solubility

No data available

Water solubility

Insoluble in water

Partition coefficient n-octanol/water

Not applicable for mixtures

Vapour pressure

Not applicable for mixtures

Density and/or relative density

0.83 g/ml (15 °C)

Relative density

Not applicable for mixtures

Relative vapour density

No data available

Evaporation Rate

Not applicable for mixtures

Explosive properties

Value not relevant for classification



ZF Lifeguard Hybrid

3

Version number: 1
Issued: 2026-08-06

Oxidising properties

Value not relevant for classification

Particle characteristics

No data available

Other information

No data available

SECTION 10: Stability and reactivity

Reactivity

Stable under normal use conditions

Chemical stability

Stable under normal use conditions

Possibility of hazardous reactions

Stable under normal use conditions

Conditions to avoid

Stable under normal use conditions

Incompatible materials

Strong oxidizing substances. Strong acids. Strong bases.

Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

SECTION 11. Toxicological information

Information on the likely routes of exposure

Acute toxicity

Not classified for acute toxicity based on available data.

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals
Base oil paraffinic	LD50	> 5,000 mg/kg	oral	Rat



SAFETY DATA SHEET
According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1
Issued: 2026-08-06

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals
-				
Base oil paraffinic -	LD50	> 5,000 mg/kg	Dermal	Rabbit

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Result	Method / Guideline
Base oil paraffinic -	Not irritant	OECD 404

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Result	Method / Guideline
Base oil paraffinic -	Not irritant.	OECD 405

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC: IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified

NTP: US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified.

OSHA: US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified.

Reproductive toxicity

Based on available data, the classification criteria are not met.



ZF Lifeguard Hybrid 3

Version number: 1
Issued: 2026-08-06

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Base oil paraffinic May be fatal if swallowed and enters airways.

Information on other hazards

No data available

SECTION 12: Ecological information

Toxicity

Acute toxicity

Based on available data, the classification criteria are not met.

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Base oil paraffinic -	LC50	> 100 mg/l	96 hr	Fish

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Base oil paraffinic -	EC50	> 100 mg/l	72 hr	Algae	OECD 201

Acute crustacean toxicity



ZF Lifeguard Hybrid 3

Version number: 1
Issued: 2026-08-06

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Base oil paraffinic -	EC50	> 100 mg/l	48 hr	Water Flea

Chronical toxicity

Based on available data, the classification criteria are not met.

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species	Method / Guideline
Base oil paraffinic -	NOEC	10 mg/l	21 d	Daphnia magna	OECD 211

Persistence and degradability

Not applicable for mixtures

Product / Substance name CAS / EC no.	Result
Base oil paraffinic -	Not readily degradable.

Bioaccumulative potential

Not applicable for mixtures

Mobility in soil

Mobility

Not applicable for mixtures

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The product does not contain any substances fulfilling the PBT/vPvB criteria.

Endocrine disrupting properties

No data available

Other adverse effects

No data available.



ZF Lifeguard Hybrid

3

Version number: 1
Issued: 2026-08-06

SECTION 13: Disposal considerations

Disposal methods

Disposal considerations

Dispose in accordance with all applicable regulations.

Discharge, treatment, or disposal may be subject to national, state, or local laws.

SECTION 14: Transport information

UN number

UNRTDG: Not Regulated

US DOT: Not Regulated

UN proper shipping name

ADR / RID / ADN proper shipping name

Not Regulated

IMDG proper shipping name

Not Regulated

IATA proper shipping name

Not Regulated

Transport hazard class(es)

Label

Not Regulated

ADR / RID Class

Not Regulated

IMDG Class

Not Regulated

IATA Class

Not Regulated

ADN Class

Not Regulated

Packing group

Not Regulated



ZF Lifeguard Hybrid 3

Version number: 1
Issued: 2026-08-06

Environmental hazards

No

IMDG Marine Pollutant

No

Special precautions for user

Not Applicable.

Transport in bulk according to IMO instruments

Not Applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

EU regulations

Not Applicable.

National regulations

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity: This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Other regulations, limitations and legal regulations

Inventory Status:

TSCA On or in compliance with the inventory

DSL On or in compliance with the inventory

NDSL Not in compliance with the inventory.

Chemical safety assessment

No data available



SAFETY DATA SHEET

According to Regulation (US HCS) 29 CFR
1910.1200

ZF Lifeguard Hybrid 3

Version number: 1

Issued: 2026-08-06

SECTION 16: Other information

Phrase meaning

Asp. Tox. 1 - Aspiration hazard, hazard category 1
H304 May be fatal if swallowed and enters airways.

Other

Additional information

Disclaimer: The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.