

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



ZF Aftermarket

**Product name: ZF LifeguardFluid 7.5 DCT**

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: ZF LifeguardFluid 7.5 DCT

Product code: 5961.308.624

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

**ZF Friedrichshafen AG**  
**ZF Aftermarket**  
**Obere Weiden 12**  
**97424 Schweinfurt**  
**Germany**  
**+49 9721 475 60**  
**[www.zf.com/contact](http://www.zf.com/contact)**

#### 1.4 Emergency telephone number:

**24/7h Emergency telephone number:**

+49 (0)89 19 240 (Information in German and English)

---

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

#### Classification according to GB-CLP

##### Hazard summary

**Physical Hazards:** No data available.

### 2.2 Label Elements

GBH208: Contains succinic acid derivative.  
May produce an allergic reaction.

GBH210: Safety data sheet available on request.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

### 2.3 Other hazards:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

## 3. Composition/information on ingredients

### 3.2 Mixtures

General information:

Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	UK-REACH Registration No.
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	EINECS: 265-157-1	50,00% - <100,00%	--
base oil, low viscous	EINECS: 276-738-4	20,00% - <50,00%	--
Base oil paraffinic	EINECS: 265-157-1	1,00% - <10,00%	
alkyl imidazoline	EC: 701-204-9	1,00% - <5,00%	
succinic acid derivative	EINECS: 299-434-3	0,10% - <1,00%	--

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

### Classification

Chemical name	Identifier	Classification	
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	EINECS: 265-157-1	GBCLP	Asp. Tox. 1;H304
base oil, low viscous	EINECS: 276-738-4	GBCLP	Asp. Tox. 1;H304
Base oil paraffinic	EINECS: 265-157-1	GBCLP	Asp. Tox. 1;H304
alkyl imidazoline	EC: 701-204-9	GBCLP	Skin Irrit. 2;H315, Eye Irrit. 2;H319
succinic acid derivative	EINECS: 299-434-3	GBCLP	Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic Chronic 2;H411

GB-CLP

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation GB-CLP.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

---

### 4. First aid measures

**General:** Instantly remove any clothing soiled by the product.

#### 4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** May cause skin and eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed** Get medical attention if symptoms occur.

---

### 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media: CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

Unsuitable extinguishing media: Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

**5.3 Advice for firefighters  
Special fire fighting procedures:** Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

		regulations. Collect contaminated fire fighting water separately. It must not enter drains.
	<b>Special protective equipment for fire-fighters:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>6.</b>	<b>Accidental release measures</b>	
<b>6.1</b>	<b>Personal precautions, protective equipment and emergency procedures:</b>	In case of spills, beware of slippery floors and surfaces.
<b>6.2</b>	<b>Environmental Precautions:</b>	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
<b>6.3</b>	<b>Methods and material for containment and cleaning up:</b>	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.
<b>6.4</b>	<b>Reference to other sections:</b>	See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.
<hr/>		
<b>7.</b>	<b>Handling and storage:</b>	
<b>7.1</b>	<b>Precautions for safe handling:</b>	Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.
<b>7.2</b>	<b>Conditions for safe storage, including any incompatibilities:</b>	Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



ZF Aftermarket

**Product name: ZF LifeguardFluid 7.5 DCT**

**7.3 Specific end use(s):** Not applicable  
**Storage Class:** 10, Combustible liquids

---

## 8. Exposure controls/personal protection

### 8.1 Control Parameters

#### Occupational Exposure Limits

None of the components have assigned exposure limits.

### 8.2 Exposure controls

**Appropriate engineering controls:** Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**General information:** Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

**Eye/face protection:** Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.

**Skin protection**  
**Hand Protection:** Material: Nitrile butyl rubber (NBR).  
Min. Breakthrough time:  $\geq 480$  min  
Recommended thickness of the material:  $\geq 0,38$  mm

Avoid long-term and repeated skin

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

	contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
<b>Other:</b>	Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.
<b>Respiratory Protection:</b>	Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.
<b>Thermal hazards:</b>	Not known.
<b>Hygiene measures:</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
<b>Environmental Controls:</b>	No data available.

---

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	liquid
Form:	liquid
Color:	Pale yellow
Odor:	Characteristic
pH:	substance/mixture is non-soluble (in water)
Freezing point:	not determined
Boiling Point:	not determined
Flash Point:	210 °C
Evaporation Rate:	Not applicable for mixtures
Flammability (solid, gas):	not determined
Flammability Limit - Upper (%)-:	Not applicable for mixtures
Flammability Limit - Lower (%)-:	Not applicable for mixtures

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



ZF Aftermarket

### Product name: ZF LifeguardFluid 7.5 DCT

Vapor pressure:	Not applicable for mixtures
Relative vapor density:	Not applicable for mixtures
Density:	0,84 g/ml (15,00 °C)
<b>Solubility(ies)</b>	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	Not applicable for mixtures
Autoignition Temperature:	not determined
Decomposition Temperature:	not determined
Kinematic viscosity:	33,2 mm <sup>2</sup> /s (40 °C)
Explosive properties:	Value not relevant for classification
Oxidizing properties:	Value not relevant for classification
Particle characteristics:	Not applicable

**9.2 Other information** No data available.

---

## 10. Stability and reactivity

<b>10.1 Reactivity:</b>	Stable under normal use conditions.
<b>10.2 Chemical Stability:</b>	Stable under normal use conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Stable under normal use conditions.
<b>10.4 Conditions to avoid:</b>	Stable under normal use conditions.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.
<b>10.6 Hazardous Decomposition Products:</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

---

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Oral

Product:

Not classified for acute toxicity based on available data.

#### Specified substance(s)

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

base oil, low viscous  
Base oil paraffinic  
succinic acid derivative

LD 50 (Rat): > 5.000 mg/kg (OECD 401)  
LD 50 (Rat): > 5.000 mg/kg  
LD 50 (Rat, Male): > 10.000 mg/kg

### **Dermal**

Product:  
ATEmix: 102.244 mg/kg

#### **Specified substance(s)**

Base oil paraffinic LD 50 (Rabbit): > 5.000 mg/kg

### **Inhalation**

Product:  
Not classified for acute toxicity based on available data.

### **Skin Corrosion/Irritation:**

Product:  
Based on available data, the classification criteria are not met.

#### **Specified substance(s)**

Base oil paraffinic OECD 404 Not irritant.

### **Serious Eye Damage/Eye Irritation:**

Product:  
Based on available data, the classification criteria are not met.

#### **Specified substance(s)**

Base oil paraffinic OECD 405 Not irritant.

### **Respiratory or Skin Sensitization:**

Product:  
Skin sensitizer: Based on available data, the classification criteria are not met.  
Respiratory sensitizer: Based on available data, the classification criteria are not met.

### **Germ Cell Mutagenicity**

Product:  
Based on available data, the classification criteria are not met.

### **Carcinogenicity**

Product:  
Based on available data, the classification criteria are not met.

### **Reproductive toxicity**

Product:  
Based on available data, the classification criteria are not met.

### **Specific Target Organ Toxicity - Single Exposure**

Product:  
Based on available data, the classification criteria are not met.



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

### Specific Target Organ Toxicity - Repeated Exposure

Product:

Based on available data, the classification criteria are not met.

### Aspiration Hazard

Product:

Based on available data, the classification criteria are not met.

**Other adverse effects:**

No data available.

---

## 12. Ecological information

**General information:**

Not applicable Not applicable

### 12.1 Toxicity

**Acute toxicity**

**Product:**

Based on available data, the classification criteria are not met.

**Fish**

**Specified substance(s)**

Base oil paraffinic

alkyl imidazoline

succinic acid derivative

LC 50 (Fish, 96 h): > 100 mg/l

LC 50 (Fish, 96 h): > 1.000 mg/l

LC 50 (Fish, 96 h): > 100 mg/l (OECD 203)

**Aquatic Invertebrates**

**Specified substance(s)**

base oil, low viscous

Base oil paraffinic

alkyl imidazoline

succinic acid derivative

EL50 (Water Flea, 48 h): > 10.000 mg/l  
(OECD 202)

EC 50 (Water Flea, 48 h): > 100 mg/l

EC 50 (Water Flea, 48 h): > 1.000 mg/l

EL50 (Water Flea, 48 h): 9,5 mg/l (OECD  
202)

**Chronic Toxicity**

**Product:**

Based on available data, the classification criteria are not met.

**Fish**

**Specified substance(s)**

base oil, low viscous

NOEC (Fish, 14 d): > 1.000 mg/l

**Aquatic Invertebrates**

**Specified substance(s)**

base oil, low viscous

NOEC (Water Flea, 21 d): 10 mg/l (OECD  
211)

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

Base oil paraffinic

NOEC (Daphnia magna, 21 d): 10 mg/l  
(OECD 211)

alkyl imidazoline

NOEC (Water Flea, 21 d): 32 mg/l

### **Toxicity to Aquatic Plants Specified substance(s)**

base oil, low viscous

NOEC (Alga, 72 h): > 100 mg/l (OECD  
201)

Base oil paraffinic

EC 50 (Algae, 72 h): > 100 mg/l (OECD  
201)

alkyl imidazoline

NOEC (Alga, 96 h): 23 mg/l

succinic acid derivative

EL50 (Alga, 72 h): > 100 mg/l (OECD 201)

## **12.2 Persistence and Degradability**

### **Biodegradation**

**Product:**

Not applicable for mixtures

## **12.3 Bioaccumulative potential**

**Product:**

Not applicable for mixtures

## **12.4 Mobility in soil:**

**Product:**

Not applicable for mixtures

## **12.5 Results of PBT and vPvB assessment:**

The product does not contain any  
substances fulfilling the PBT/vPvB criteria.

## **12.6 Other adverse effects:**

Experimental data has shown that the  
concentration of the potentially aquatic  
toxic components present in this product is  
not harmful to aquatic organisms.

Water Hazard Class  
(WGK):

WGK 1: slightly water-endangering.

---

## **13. Disposal considerations**

### **13.1 Waste treatment methods**

General information:

Dispose in accordance with all applicable  
regulations.

Disposal methods:

Do not empty into drains; dispose of this  
material and its container in a safe way.  
When storing used products, ensure that  
the waste categories and mixing instruc-

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

tions are observed.

List of Waste (LoW) Codes

13 02 05\*: mineral-based non-chlorinated  
engine, gear and lubricating oils

---

### 14 Transport information

#### ADR/RID

14.1 UN Number:	--
14.2 UN Proper Shipping Name:	--
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	--
Hazard No. (ADR):	--
Tunnel restriction code:	--
14.4 Packing Group:	--
14.5 Environmental hazards:	--
14.6 Special precautions for user:	--

#### IMDG

14.1 UN Number:	--
14.2 UN Proper Shipping Name:	--
14.3 Transport Hazard Class(es)	
Class:	Non-dangerous goods
Label(s):	--
EmS No.:	--
14.4 Packing Group:	--
14.5 Environmental hazards:	--
14.6 Special precautions for user:	--

#### IATA

14.1 UN Number:	--
14.2 Proper Shipping Name:	--
14.3 Transport Hazard Class(es):	
Class:	Non-dangerous goods
Label(s):	--
14.4 Packing Group:	--
14.5 Environmental hazards:	--
14.6 Special precautions for user:	--

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable.

---

### 15. Regulatory information

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019: none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020: none

### 15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

#### **DIRECTIVE Control of Major Accident Hazards Regulations 2015:**

Not applicable

---

## 16. Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Other information: The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures"; Expert Judgement

Disclaimer: The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006,  
as amended by UK REACH Regulations SI 2019/758



**Product name: ZF LifeguardFluid 7.5 DCT**

ZF Aftermarket

product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.