



Motormomente /
Transmittable Engine Torque

Bestell-Nr./ Reference-No.	max. übertragbares Motormoment organischer Belag/ max.transmittable engine torque organic facings		max. übertragbares Motormoment Sinterbelag/ max.transmittable engine torque sintered plate		solange Vorrat reicht/ while stocks last
	Nm	lb/ft	Nm	lb/ft	
883082 999504	335	248	495	366	
883082 999523	240	178	350	259	
883082 999572	200	148	300	222	
883082 999591	240	178	350	259	
883082 999594	505	374	740	548	
883082 999598	175	130	250	185	
883082 999610	225	167	325	241	
883082 999616	295	218	430	318	
883082 999618	450	333	650	481	
883082 999624	205	152	300	222	
883082 999626	235	174	345	255	
883082 999645	420	311	620	459	
883082 999666	215	159	315	233	
883082 999668	300	222	435	322	
883082 999669	270	200	400	296	
883082 999680	180	133	260	192	
883082 999695	385	285	565	418	
883082 999698	520	385	775	574	
883082 999702	290	215	425	315	
883082 999707	520	385	775	574	
883082 999710	370	274	540	400	
883082 999712	480	355	700	518	
883082 999715	420	311	610	451	
883082 999716	370	274	540	400	
883082 999720	505	374	745	551	
883082 999724	520	385	775	574	
883082 999731	360	266	520	385	
883082 999735	205	152	300	222	
883082 999736	545	403	800	592	
883082 999737	365	270	535	396	
883082 999739	295	218	430	318	
883082 999741	255	189	375	278	
883082 999745	375	278	545	403	
883082 999746	455	337	675	500	
883082 999747	355	263	485	359	
883082 999754	535	396	785	581	
883082 999755	155	115	230	170	



Motormomente /
Transmittable Engine Torque

Bestell-Nr./ Reference-No.	max. übertragbares Motormoment organischer Belag/ max.transmittable engine torque organic facings		max. übertragbares Motormoment Sinterbelag/ max.transmittable engine torque sintered plate		solange Vorrat reicht/ while stocks last
	Nm	lb/ft	Nm	lb/ft	
883082 999758	285	211	415	307	
883082 999760	480	355	705	522	
883082 999763	430	318	630	466	
883082 999764	890	659	1300	962	
883082 999765	590	437	860	636	
883082 999766	310	229	480	355	
883082 999767	330	244	485	359	
883082 999768	510	377	755	559	
883082 999770	470	348	695	514	
883082 999771	295	218	435	322	
883082 999773	450	333	660	488	
883082 999775	520	385	760	562	
883082 999777	615	455	900	666	
883082 999778	325	241	475	352	
883082 999780	295	218	430	318	
883082 999781	465	344	690	511	
883082 999782	480	355	700	518	
883082 999783	390	289	575	426	
883082 999785	545	403	800	592	
883082 999786	495	366	745	551	
883082 999789	560	414	820	607	
883082 999792	475	352	700	518	
883082 999793	570	422	835	618	
883082 999794	370	274	560	414	
883082 999798	550	407	800	592	
883082 000826	540	400	795	588	
883082 000827	510	377	750	555	
883082 000884	560	414	830	614	
883082 000980	275	204	400	296	
883082 001005	375	278	555	411	
883082 001080	550	407	795	588	
883082 001115	495	366	715	529	
883082 001126	280	207	400	296	
883082 001243	540	400	780	577	
883082 001267	320	237	470	348	
883082 001394	550	407	810	599	
883082 001422	550	407	810	599	



Motormomente /
Transmittable Engine Torque

Bestell-Nr./ Reference-No.	max. übertragbares Motormoment organischer Belag/ max.transmittable engine torque organic facings		max. übertragbares Motormoment Sinterbelag/ max.transmittable engine torque sintered plate		solange Vorrat reicht/ while stocks last
	Nm	lb/ft	Nm	lb/ft	
883082 001423	550	407	810	599	
883082 001424	550	407	810	599	
883082 001455	260	192	360	266	
883082 001457	570	422	840	622	
883082 001487	890	659	1300	962	
883082 001573	285	211	420	311	
883082 001783	520	385	770	570	
883082 001828	350	259	510	377	
883082 001851	540	400	790	585	
883082 001872	530	392	780	577	
883082 001939	520	385	770	570	
883082 001957	530	392	780	577	
883082 002272	255	189	375	278	
883082 002352	530	392	780	577	
883082 002362	220	163	325	241	
883082 002398	510	377	770	570	
883082 002428	495	366	730	540	
883082 002548	280	207	410	303	
883082 002549	310	229	460	340	
883082 002598	420	311	620	459	
883083 999574	680	503	1000	740	