

Revision: 23.06.2023

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 6 (replaces version 5)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600
- · Article number: PFB601, PFB601CE, PFB601SE, PFB601RE
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Brake fluid
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

ZF Aftermarket UK Ltd.

Abbeyfield Road

Lenton

Nottingham, NG7 2SX

Tel +44 333 240 1123

Fax +44 115 986 92 61

https://www.zf.com

Informing department:

Phone: +49 (0) 7541 77 0

E-Mail address of the competent person for the safety data sheet:

reach@dekra.com

· 1.4 Emergency telephone number:

Poison Information Center Munich

Phone: +49 (0) 89 - 19 240

Information in German and English

* SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS08

- · Signal word Warning
- · *Hazard-determining components of labelling:* Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

(Contd. on page 2)



Page 2/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 1)

· Hazard statements

H361 Suspected of damaging fertility or the unborn child.

· Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection / face protection. P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of the substances listed below including additives not requiring identification. Added are corrosion and oxidation inhibitors.

· Dangerous components:		
CAS: 30989-05-0 EINECS: 250-418-4 Reg.nr.: 01-2119462824-33-X	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate Repr. 2, H361	50 - 100%
CAS: 143-22-6 EINECS: 205-592-6 Reg.nr.: 01-2119475107-38-X	2-[2-(2-butoxyethoxy)ethoxy]ethanol ② Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 %	≥ 10 - < 20%
CAS: 1559-34-8 EINECS: 216-322-1 Reg.nr.: 01-2120768763-41-X	3,6,9,12-tetraoxahexadecan-1-ol © Eye Irrit. 2, H319	≥ 0 - < 10%
CAS: 111-77-3 EINECS: 203-906-6 Reg.nr.: 01-2119475100-52-X	Dowanol DM	≥ 0 - < 3%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44-X	2-(2-butoxyethoxy)ethanol © Eye Irrit. 2, H319	≤ 1%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information Instantly remove any clothing contaminated by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact

Wash with water and soap.

If skin irritation continues, consult a doctor.

(Contd. on page 3)



Page 3/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 2)

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Inhalation of combustion gases may cause serious health hazards.

Formation of flammable mixtures of vapours with air possible.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- Additional information

Remove goods in stock from incendiary zone, if possible.

Use water to keep fire exposed containers cool.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the product.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter drainage system, surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Don't eat, drink or smoke while working.

Keep containers tightly sealed.

Avoid contact with eyes and skin.

(Contd. on page 4)



Page 4/12

Safety data sheet according to 1907/2006/EC, Article 31

Version number 6 (replaces version 5) Revision: 23.06.2023 Printing date 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 3)

- · Information about protection against explosions and fires:
 - The product forms flammable fumes when heated.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from humidity and keep away from water.

Store container in a well ventilated position.

Store under dry conditions.

7.3 Specific end use(s) Brake fluid

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

WEL: workplace exposure limit **OEL: Occupational Exposure Limit**

111-77-3 Dowanol DM	111-77-3 Dowanol DM		
WEL (Great Britain)	Long-term value: 50.1 mg/m³, 10 ppm Sk		
IOELV (European Union)	Long-term value: 50.1 mg/m³, 10 ppm Skin		
OEL (Ireland)	Long-term value: 50.1 mg/m³, 10 ppm Sk, IOELV		
112-34-5 2-(2-butoxyethe	112-34-5 2-(2-butoxyethoxy)ethanol		
WEL (Great Britain)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm		
IOELV (European Union)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm		
OEL (Ireland)	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV		
DNELs			
20090 05 0 Tricl2 12 /2 mathovyothovyothovyothovyothold orthologoto			

· DNELs				
30989-05-	30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate			
Oral	DNEL (consumer, long-term, systemic)	1.5 mg/kg bw/day (human)		
Dermal	DNEL (worker, long-term, systemic)	4.2 mg/kg bw/day (human)		
	DNEL (consumer, long-term, systemic)	1.5 mg/kg bw/day (human)		
Inhalative	DNEL (worker, long-term, systemic)	14.8 mg/m³ (human)		
	DNEL (consumer, long-term, systemic)	2.6 mg/m³ (human)		
143-22-6	143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol			
Oral	DNEL (consumer, long-term, systemic)	12.5 mg/kg bw/day (human)		
1559-34-8	1559-34-8 3,6,9,12-tetraoxahexadecan-1-ol			
Oral	DNEL (consumer, long-term, systemic)	3 mg/kg bw/day (human)		
	1	(Contd. on page 5)		



Page 5/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

444 ==	15			(Contd. from pag
	Dowanol DM			
	DNEL (consumer, long-term, systemic)		7.5 mg/kg bw/day (human)	
Dermal	DNEL (worker, long-term, systemic)		2.22 mg/kg bw/day (human)	
	DNEL (consumer, short-terr		1.33 mg/kg bw/day (human)	
Inhalative	DNEL (worker, long-term, sy	•	50.1 mg/m³ (human)	
	DNEL (consumer, long-term	ı, systemic)	30.1 mg/m³ (human)	
	2-(2-butoxyethoxy)ethanol			
	DNEL (consumer, long-term	-	6.25 mg/kg bw/day (human)	
Inhalative	DNEL (worker, short-term, le	ocal)	101.2 mg/m³ (human)	
	DNEL (worker, long-term, lo	cal)	67.5 mg/m³ (human)	
PNECs				
143-22-6 2	?-[2-(2-butoxyethoxy)ethox			
PNEC aqu	a (freshwater)	2 mg/L (.)		
PNEC aqu	a (marine water)	0.2 mg/L (.)		
	P - Sewage Treatment Plant	200 mg/L (.))	
PNEC soil		0.47 mg/kg	soil dw (.)	
PNEC sed	iment (freshwater)	7.7 mg/kg s	edim. dw (.)	
PNEC sed	iment (marine water)	0.77 mg/kg	sedim. dw (.)	
PNEC oral		111 mg/kg f	food (.)	
1559-34-8	3,6,9,12-tetraoxahexadeca	n-1-ol		
PNEC aqu	a (freshwater)	2.5 mg/L (.)		
PNEC aqu	a (marine water)	0.25 mg/L (.)	
PNEC soil		0.46 mg/kg soil dw (.)		
PNEC sed	iment (freshwater)	9.49 mg/kg sedim. dw (.)		
PNEC sed	iment (marine water)	0.95 mg/kg	sedim. dw (.)	
111-77-3 E	Dowanol DM			
PNEC aqu	a (freshwater)	12 mg/L (.)		
PNEC aqu	a (marine water)	1.2 mg/L (.)		
PNEC STF	P - Sewage Treatment Plant	10,000 mg/l	L (.)	
PNEC soil		2.1 mg/kg s	oil dw (.)	
PNEC sed	iment (freshwater)	44.4 mg/kg	sedim. dw (.)	
PNEC sed	iment (marine water)	0.44 mg/kg	sedim. dw (.)	
PNEC aqu	a (intermittent releases)	12 mg/L (.)		
		90 mg/kg fo	od (.)	
112-34-5 2	2-(2-butoxyethoxy)ethanol			
PNEC aqu	a (freshwater)	1.1 mg/L (.)		
PNEC aqua (marine water) 0.11 mg/L (.)		
PNEC soil 0.32 mg/kg		soil dw (.)		
PNEC sed	iment (freshwater)	4.4 mg/kg s		
	iment (marine water)		sedim. dw (.)	
	a (intermittent releases)	11 mg/L (.)	• •	



Page 6/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 5)

PNEC oral

56 mg/kg food (.)

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Take off all contaminated clothing immediately.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes. Do not eat or drink while working.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection only when aerosol or mist is formed.

Filter A/P2.

- · Hand protection Use gloves of stable material (i.e. nitril rubber).
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· *Colour:* Amber coloured

· *Odour:* Mild

Odour threshold:
 Melting point/freezing point:
 Not determined.
 < -50 °C (SAE J 1703)

· Boiling point or initial boiling point and boiling

range > 260 °C (SAE J 1703)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Flash point: > 120 °C (IP 35)

• Auto-ignition temperature: > 300 °C (ASTM D 286)

• Decomposition temperature: > 300 °C

(Contd. on page 7)

GB -



Page 7/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 6)

	(Contd. from page 6)
· SADT	
· pH at 20 °C	7 - 10.5 (SAE J 1703)
· Viscosity:	,
· Kinematic viscosity at 20 °C	10 mm ² /s (ASTM D 445)
· dynamic:	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	1.5 log POW
· Vapour pressure at 20 °C:	< 2 hPa
Density and/or relative density	
· Density at 20 °C	1.02 - 1.07 g/cm³ (DIN 51757)
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health	Tidio
and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
Change in condition	Troductio flot explosive.
· Evaporation rate	Not determined.
-	
· Information with regard to physical hazard	
classes	Void
· Explosives · Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 8)



Page 8/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 7)

· 10.3 Possibility of hazardous reactions

Possible formation of peroxide

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid Heat.
- · 10.5 Incompatible materials:

Avoid contact with strong oxidizing agents.

Can attack paints and coatings as well as some platics and rubber.

· 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values that are relevant for classification:		
30989-05-	30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate		
Oral	LD50	> 2,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	> 2,000 mg/kg (rat) (OECD 402)	
143-22-6 2	2-[2-(2·	-butoxyethoxy)ethoxy]ethanol	
Oral	LD50	5,170 mg/kg (rat)	
Dermal	LD50	3,540 mg/kg (rabbit)	
1559-34-8	1559-34-8 3,6,9,12-tetraoxahexadecan-1-ol		
Oral	LD50	2,630 mg/kg (rat)	
Dermal	LD50	3,540 mg/kg (rabbit)	
	111-77-3 Dowanol DM		
Oral	LD50	7,128 mg/kg (mouse) (OECD 201)	
Dermal	LD50	9,404 mg/kg (rabbit) (OECD 402)	
Inhalative	LC0	> 1.2 mg/l/6h (rat) (OECD 403)	
	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	5,660 mg/kg (rat)	
Dermal	LD50	2,764 mg/kg (rabbit) (OECD 402)	
Inhalative	LC0	67.5 mg/l/0.5h (human)	

- · Skin corrosion/irritation Long-term skin contact may cause skin irritation and/or dermatitis.
- · Serious eye damage/irritation Splashes can cause temporary eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging fertility or the unborn child.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 9)

GB -



Page 9/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 8)

· Additional toxicological information:

· Repeated	· Repeated dose toxicity			
143-22-6 2	143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol			
Oral	NOAEL (90d)	500 mg/kg bw/day (rat)		
111-77-3 I	111-77-3 Dowanol DM			
Oral	NOAEL (28d)	900 mg/kg bw/day (rat) (OECD 407)		
Dermal	NOAEL (90d)	40 mg/kg bw/day (guinea pig) (OECD 411)		
Inhalative	NOAEC (90d)	> 1,060 mg/m³ (rat) (OECD 413)		
112-34-5 2	112-34-5 2-(2-butoxyethoxy)ethanol			
Oral	NOAEL (90d)	250 mg/kg bw/day (rat) (OECD 408)		
Dermal	NOAEL (90d)	2,000 mg/kg bw/day (rat) (OECD 411)		
Inhalative	NOAEC (90d)	94 mg/m³ (rat) (OECD 413)		
		Vapour		

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 Repr. 2
- · 11.2 Information on other hazards
- Endocrine disrupting properties
 None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:			
30989-05-0 Tr	30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate		
EC50	> 211.2 mg/l/48h (Daphnia magna) (OECD 202)		
LC50	> 222.2 mg/l/96h (Oncorhynchus mykiss) (OECD 203)		
EC50	> 224.4 mg/l/72h (Raphidocelis subcapitata) (OECD 201)		
143-22-6 2-[2-	143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol		
EC50 (static)	2,210 mg/l/48h (Daphnia magna) (EU C.2)		
EC0 (static)	2,150 mg/l/96h (fish) (DIN 38 412-L15)		
LC50	2,400 mg/l/96h (Pimephales promelas)		
	2,200 - 4,600 mg/l/96h (fish) (DIN 38412-15)		
EC50 (static)	840 mg/l/72h (Desmodesmus subspicatus) (OECD 201)		
NOEC (static)	1,000 mg/l/96h (fish) (DIN 38 412-L15)		
1559-34-8 3,6,	1559-34-8 3,6,9,12-tetraoxahexadecan-1-ol		
EC50	> 3,200 mg/l/48h (Daphnia magna) (OECD 202)		
LC50	> 1,800 mg/l/96h (Scophthalmus maximus) (OECD 203)		
111-77-3 Dow	111-77-3 Dowanol DM		
EC50 (static)	1,192 mg/l/48h (Daphnia magna)		
EC50 (static)	> 1,000 mg/l/96h (Selenastrum capricornutum) (OECD 201)		
LC50 (static)	5,741 mg/l/96h (Pimephales promelas)		
	(Contd. on page 10)		

- GB -



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 9)

112-34-5 2-(2-	112-34-5 2-(2-butoxyethoxy)ethanol			
EC50 (static)	> 100 mg/l/48h (Daphnia magna) (OECD 202)			
EC50 (static)	> 100 mg/l/96h (Desmodesmus subspicatus) (OECD 201)			
LC50 (static)	1,300 mg/l/96h (Lepomis macrochirus) (OECD 203)			

- · 12.2 Persistence and degradability Easily biodegradable
- · Other information: There are no data available about the preparation.
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The waste code numbers mentioned are recommendations based on the probable use of the product.

· European	· European waste catalogue		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST		
16 01 00	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)		
16 01 13*	brake fluids		
HP10	Toxic for reproduction		

- Uncleaned packagings:
- Recommendation:

Disposal must be made according to official regulations.

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Cleaned packing materials have to be admitted to local recycling circuits.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

GB -

(Contd. on page 11)



Page 11/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023 Version number 6 (replaces version 5) Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 10)

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR/RID, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.

(Contd. on page 12)



Page 12/12

Safety data sheet according to 1907/2006/EC, Article 31

Version number 6 (replaces version 5) Printing date 23.06.2023 Revision: 23.06.2023

Trade name: TRW DOT 4 Brake Fluid GRAND PRIX 600

(Contd. from page 11)

H361d Suspected of damaging the unborn child.

· Department issuing data specification sheet:

DEKRA This Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Eve Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

· * Data compared to the previous version altered.

GB ·