According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: ZF LifeguardFluid CVT 2

Product code: 5961.308.627

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against:

No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

ZF Friedrichshafen AG ZF Aftermarket Obere Weiden 12 97424 Schweinfurt Germany +49 9721 475 60 www.zf.com/contact

1.4 Emergency telephone number:

24/7h Emergency telephone number:

+49 (0)89 19 240 (Information in German and English)

2. Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

Classification according to GB-CLP.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements EUH208: Contains olefin derivative. May

produce an allergic reaction.

EUH210: Safety data sheet available on

request.

ZF Friedrichshafen AG • ZF Aftermarket © ZF Friedrichshafen AG Stand: 29.11.2023

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

2.3 Other hazards:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

3. Composition/information on ingredients

3.2 Mixtures

General information: Mixture containing severely refined base

oils and additives.

| Chemical name | Identifier | Concentration * | UK-REACH Registration No. |
|-----------------------|-------------------|-------------------|---------------------------|
| base oil, low viscous | EINECS: 276-738-4 | 50,00% - <100,00% | |
| Base oil paraffinic | EINECS: 265-157-1 | 1,00% - <10,00% | |
| Base oil, low viscous | EINECS: 265-158-7 | 1,00% - <10,00% | |
| olefin derivative | EINECS: 939-580-3 | 0,10% - <1,00% | |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Classification

| Chemical name | Identifier | Classification | |
|-----------------------|-------------------|----------------|--------------------|
| base oil, low viscous | EINECS: 276-738-4 | GBCLP: | Asp. Tox. 1;H304 |
| Base oil paraffinic | EINECS: 265-157-1 | GBCLP: | Asp. Tox. 1;H304 |
| Base oil, low viscous | EINECS: 265-158-7 | GBCLP: | Asp. Tox. 1;H304 |
| olefin derivative | EINECS: 939-580-3 | GBCLP: | Skin Sens. 1B;H317 |

GB-CLP

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation GB-CLP.

4. First aid measures

General: Instantly remove any clothing soiled by the

product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of

symptoms.

ZF Friedrichshafen AG • ZF Aftermarket Obere Weiden 12, 97424 Schweinfurt, Germany © ZF Friedrichshafen AG Stand: 29.11.2023

Phone: +49 9721 4756-0 www.zf.com/contact 2/13

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

Eye contact: Promptly wash eyes with plenty of water

while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO2, fire extinguishing powder or fog like

water spraying. Extinguish larger

fires with alcohol resistant foam or spray water with suitable surfactant added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising

from the substance or mixture:

During fire, gases hazardous to health may

be formed.

5.3 Advice for firefighters

Special fire fighting procedures: Move container from fire area if it can be

done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separate-

ly. It must not enter drains.

Special protective equipment for

fire-fighters:

Self-contained breathing apparatus and full

protective clothing must be

worn in case of fire.

6. Accidental release measures

www.zf.com/contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758





ZF Aftermarket

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system,

surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

7. Handling and storage:

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities:

Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): No data available.

Storage Class: 10, Combustible liquids

8. Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

© ZF Friedrichshafen AG Stand: 29.11.2023

4/13

www.zf.com/contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Product name: ZF LifeguardFluid CVT 2



ZF Aftermarket

8.2 Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information:

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection:

Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield.

Skin protection Hand Protection:

Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective

gloves and has to be observed.

Other:Do not carry cleaning cloths impregnated

www.zf.com/contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

with the product in trouser pockets. Wear

suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the

workplace. Avoid breathing vapour/ aero-

sol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene

measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove

contaminants. Discard contaminated footwear that cannot be cleaned.

Environmental Controls: No data available.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid Color: Amber

Odor: Characteristic

pH: substance/mixture is non-soluble (in water)

Freezing point: not determined Boiling Point: not determined

Flash Point: 210 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Relative vapor density:

Not applicable for mixtures

Not applicable for mixtures

Not applicable for mixtures

Density: 0,84 g/cm³ (15 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: not determined Decomposition Temperature: not determined

ZF Friedrichshafen AG • ZF Aftermarket Obere Weiden 12, 97424 Schweinfurt, Germany © ZF Friedrichshafen AG

Phone: +49 9721 4756-0 www.zf.com/contact

Stand: 29.11.2023

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

Kinematic viscosity: 34 mm²/s (40,00 °C)

Explosive properties: Value not relevant for classification Oxidizing properties: Value not relevant for classification

Particle characteristics: Not applicable

9.2 Other information No data available.

10. Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous Stable under normal use conditions.

reactions:

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids.

Strong bases.

10.6 Hazardous Decomposition Thermal decomposition or combustion

Products: may liberate carbon oxides and other toxic

gases or vapors.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

base oil, low viscous LD 50 (Rat): > 5.000 mg/kg (OECD 401)

Base oil paraffinic LD 50 (Rat): > 5.000 mg/kg Base oil, low viscous LD 50 (Rat): > 5.000 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

Base oil paraffinic LD 50 (Rabbit): > 5.000 mg/kg

Phone: +49 9721 4756-0 www.zf.com/contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

Base oil, low viscous LD 50 (Rabbit): > 5.000 mg/kg (OECD

402)

Inhalation

Product:

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Base oil paraffinic OECD 404

Not irritant.

Base oil, low viscous (Rabbit):

Not irritant.

Serious Eye Damage/Eye Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Base oil paraffinic OECD 405

Not irritant.

Base oil, low viscous OECD 405 (Rabbit):

Not irritant.

Respiratory or Skin Sensitization:

Product:

Skin sensitizer: Based on available data, the classification criteria are not met. Respiratory sensitizer: Based on available data, the classification criteria are not met.

Specified substance(s)

Base oil, low viscous

No sensitizing effect (guinea pig); OECD

406

olefin derivative May cause an allergic skin reaction.

Germ Cell Mutagenicity

Product:

Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Based on available data, the classification criteria are not met.

Reproductive toxicity

Product:

Based on available data, the classification criteria are not met.

ZF Friedrichshafen AG • ZF Aftermarket Obere Weiden 12, 97424 Schweinfurt, Germany © ZF Friedrichshafen AG Stand: 29.11.2023

8/13

Phone: +49 9721 4756-0 www.zf.com/contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Product name: ZF LifeguardFluid CVT 2



ZF Aftermarket

Specific Target Organ Toxicity - Single Exposure

Product:

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product:

Based on available data, the classification criteria are not met.

Aspiration Hazard

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

Base oil paraffinic May be fatal if swallowed and enters air-

ways.

Other adverse effects: No data available.

12. Ecological information

12.1 Toxicity

Acute toxicity Based on available data, the classification

Product: criteria are not met.

Fish

Specified substance(s)

Base oil paraffinic LC 50 (Fish, 96 h): > 100 mg/l LL 50 (Fish, 96 h): > 100 mg/l olefin derivative LC 50 (Fish, 96 h): > 101 mg/l

Aquatic Invertebrates Specified substance(s)

base oil, low viscous EL50 (Water Flea, 48 h): > 10.000 mg/l

(OECD 202)

Base oil paraffinic EC 50 (Water Flea, 48 h): > 100 mg/l EC 50 (Water Flea, 48 h): > 10.000 mg/l olefin derivative EC 50 (Water Flea, 48 h): > 10.1 mg/l

Chronic Toxicity

Product: Based on available data, the classification

criteria are not met.

Fish

www.zf.com/contact

Specified substance(s)

base oil, low viscous NOEC (Fish, 14 d): > 1.000 mg/l

ZF Friedrichshafen AG • ZF Aftermarket Obere Weiden 12, 97424 Schweinfurt, Germany Phone: +49 9721 4756-0 © ZF Friedrichshafen AG Stand: 29.11.2023

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

Product name: ZF LifeguardFluid CVT 2



ZF Aftermarket

Aquatic Invertebrates Specified substance(s)

base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l (OECD

211)

Base oil paraffinic NOEC (Daphnia magna, 21 d): 10 mg/l

(OECD 211)

Base oil, low viscous NOEC (Water Flea, 21 d): 10 mg/l olefin derivative NOEC (Water Flea, 21 d): 10 mg/l

Toxicity to Aquatic Plants Specified substance(s)

base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l (OECD

201

Base oil paraffinic EC 50 (Algae, 72 h): > 100 mg/l (OECD

201)

Base oil, low viscous NOEC (Alga, 72 h): > 100 mg/l olefin derivative EC 50 (Alga, 72 h): > 101 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s):

Base oil, low viscous 31 % (28 d, OECD 301F)

olefin derivative 17,3 % (28 d) Not readily degradable

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB The product does not contain any

assessment: substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects: No data available.

Water Hazard Class (WGK): WGK 2: significantly water-endangering.

13. Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable

www.zf.com/contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

regulations.

Disposal methods:Do not empty into drains; dispose of this

material and its container in a safe way. When storing used products, ensure that the waste categories and mixing instruc-

tions are observed.

List of Waste (LoW) Codes 13 02 05*: mineral-based non-chlorinated

engine, gear and lubricating oils

14 Transport information

ADR/RID

14.1 UN Number: --

14.2 UN Proper Shipping Name: --

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): --Hazard No. (ADR): ---

Tunnel restriction code: --

14.4 Packing Group: --

14.5 Environmental hazards: -- 14.6 Special precautions for user: --

IMDG

14.1 UN Number: --

14.2 UN Proper Shipping Name: --

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): --

EmS No.:

14.4 Packing Group: -- 14.5 Environmental hazards: --

14.6 Special precautions for user: --

IATA

14.1 UN Number:

14.2 Proper Shipping Name:

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s):

14.4 Packing Group: -14.5 Environmental hazards: -14.6 Special precautions for user: --

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

ZF Friedrichshafen AG • ZF Aftermarket Obere Weiden 12, 97424 Schweinfurt, Germany Phone: +49 9721 4756-0 © ZF Friedrichshafen AG Stand: 29.11.2023

www.zf.com/contact 11/13

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Product name: ZF LifeguardFluid CVT 2

ZF Aftermarket

Not applicable.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

none

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:

The Persistent Organic Pollutants none (Amendment) (EU Exit) Regulations 2020:

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

DIRECTIVE Control of Major Accident Hazards Regulations 2015:

Not applicable

16. Other information

Revision Information: Vertical lines in the margin indicate an

amendment.

Wording of the H-statements in section 2 and 3

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

Other information: The classification complies with the current

GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the

basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures";

Expert Judgement

Disclaimer: The data contained in this safety data sheet

are based on our current knowledge and ex-

Phone: +49 9721 4756-0 www.zf.com/contact

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758





ZF Aftermarket

Product name: ZF LifeguardFluid CVT 2

perience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.