

Revision: 19.07.2023

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023

Version number 11 (replaces version 10)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: TRW GLK 1 Brake Grease
- · Article number: PFG110.Z, PFG110, 32932966.Z, 32932966, 32932967.Z, 32932967
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Grease

Professional use

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

ZF Aftermarket UK Ltd.

Abbeyfield Road

Lenton

Nottingham, NG7 2SX

Tel +44 333 240 1123

Fax +44 115 986 92 61

https://www.zf.com

Informing department:

Phone: +49 (0) 7541 77 0

E-Mail adress of the competent person for the safety data sheet:

reach@dekra.com

· 1.4 Emergency telephone number:

Poison Information Center Munich

Phone: +49 (0) 89 - 19 240

Information in German and English

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Warning



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 1)

· Hazard-determining components of labelling:

Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-,2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazol

· Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P103 Read carefully and follow all instructions.
P280 Wear protective gloves / protective clothing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Lithium soap lubricating grease

· Dangerous components:		
CAS: 38900-29-7 EINECS: 254-184-4 Reg.nr.: 01-2120119814-57-X	Dilithium azelate Acute Tox. 4, H302	2.5 - 10%
EC number: 946-010-7 Reg.nr.: 01-2120770934-44-X	Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol Skin Sens. 1, H317	2.5 - 10%
- C	Reaction mass of 1H-Benzotriazole-1-methanamine,N,N-bis(2-ethylhexyl)-6-methyl-,2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, N,N-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazol Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥ 0.1 - < 0.25%

[•] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing contaminated by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Wash with water and soap.

In case of skin irritations or sensitizing effects, consult doctor.

· After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 2)

· After swallowing

Rinse out mouth.

Do not induce vomitting.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · After skin contact: Allergic reactions
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Do not inhale smoke and combustion products.

During incomplete combustion carbon monoxide can be formed.

Can be released in case of fire:

Nitrogen oxides (NOx)

Metal oxides

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- Additional information

Remove goods in stock from incendiary zone, if possible.

Use water to keep fire exposed containers cool.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Avoid contact with the product.

6.2 Environmental precautions:

Clean contaminated surfaces thoroughly.

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Collect mechanically.

Dispose of contaminated material as waste according to section 13.

Clean the accident area carefully; suitable cleaners are:

warm water and cleaning agent

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Don't eat, drink or smoke while working.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers:

Store only in the original container.

Keep container tightly closed and store upright to prevent any spill of product.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

· Further information about storage conditions:

Keep away from ignition sources.

Store in cool, dry conditions in well sealed containers.

Protect from direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
38900-29-	7 Dilithium azelate	
Dermal	DNEL (worker, long-term, local)	0.046 mg/kg bw/day (human)
	DNEL (consumer, long-term, local)	0.023 mg/kg bw/day (human)
Condensa	ation products of fatty acids, tall oil w	ith 2-amino-2-ethylpropanediol
Oral	DNEL (consumer, long-term, systemic)	4.17 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	8.33 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	4.17 mg/kg bw/day (human)
Benzotria		mine,N,N-bis(2-ethylhexyl)-6-methyl-,2H- lexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, lhexyl)-4-methyl-1H-benzotriazol
Oral	DNEL (consumer, long-term, systemic)	0.2 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	0.4 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	0.2 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	1.3 mg/m³ (human)
	DNEL (consumer, long-term, systemic)	0.3 mg/m³ (human)

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 4)

· PNECs	
38900-29-7 Dilithium azelate	
PNEC aqua (freshwater)	0.023 mg/L (.)
PNEC aqua (marine water)	0.002 mg/L (.)
PNEC aqua (intermittent releases)	0.23 mg/L (.)
	1-methanamine,N,N-bis(2-ethylhexyl)-6-methyl-,2H-
	ois(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine,
	-Bis(2-ethylhexyl)-4-methyl-1H-benzotriazol
PNEC aqua (freshwater)	0.009 mg/L (.)
PNEC aqua (marine water)	0.001 mg/L (.)
PNEC STP - Sewage Treatment Plant	0.69 mg/L (.)
PNEC soil	0.02 mg/kg soil dw (.)
PNEC sediment (freshwater)	0.127 mg/kg sedim. dw (.)
PNEC sediment (marine water)	0.013 mg/kg sedim. dw (.)
PNEC aqua (intermittent releases)	0.01 mg/L (.)

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Avoid close or long term contact with the skin.

Do not carry cleaning cloths impregnated with the product in trouser pockets.

Wash hands during breaks and at the end of the work.

Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection in case of insufficient ventilation.

Filter P2.

· Hand protection

Protective gloves, e.g. nitril rubber impregnated cotton gloves.

To avoid skin problems reduce the wearing of gloves to the required minimum.

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material

In case of a layer thickness of 0.4 mm the penetration time is longer than 480 minutes.

· Eye/face protection



Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Colour: Beige

Odour: CharacteristicOdour threshold: Not determined.

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 5)

	(Contd. from page 5)
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling	
range	Not determined
· Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· SADT	
· pH	Not applicable.
· Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
Solubility	
· Water:	Insoluble
Partition coefficient n-octanol/water (log value)	
Vapour pressure at 20 °C:	> 0 hPa
· Density and/or relative density · Density at 20 °C	0.97 g/cm ³
<u> </u>	0.97 g/cm²
· 9.2 Other information	
· Appearance:	_
· Form:	Pasty
Important information on protection of health	
and environment, and on safety.	Don't at the color of the office
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Change in condition · Evaporation rate	Not determined.
•	Not determined.
Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids · Flammable solids	Void
	Void Void
· Self-reactive substances and mixtures · Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammab	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 6)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Avoid contact with strong oxidizing agents.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values that are relevant for classification:		
38900-2	38900-29-7 Dilithium azelate		
Oral	Oral LD50 > 300 mg/kg (rat)		
Conder	Condensation products of fatty acids, tall oil with 2-amino-2-ethylpropanediol		
Oral	LD50	> 2,000 mg/kg (rat) (OECD 425)	
Dermal	LD50	> 2,000 mg/kg (rat) (OECD 402)	
Benzot N,N-bis	Reaction mass of 1H-Benzotriazole-1-methanamine,N,N-bis(2-ethylhexyl)-6-methyl-,2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazol		
Oral	LD50	3,313 mg/kg (rat) (OECD 401)	
Dermal	LD50	> 2,000 mg/kg (rat) (OECD 402)	
Claire e	Chin payagian (invitation I and tarm phin contact may cause phin invitation and/or dermetitie		

- Skin corrosion/irritation Long-term skin contact may cause skin irritation and/or dermatitis.
- · Serious eye damage/irritation Splashes can cause temporary eye irritation.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

GB



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Reaction mass of 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-,2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazol

EC50	4.45 mg/l/24h (Daphnia magna) (OECD 202)
EC50	2.05 mg/l/48h (Daphnia magna) (OECD 202)
LC50	1.3 mg/l/96h (Brachydario rerio) (OECD 203)
EC50	0.762 mg/l/72h (Desmodesmus subspicatus) (OECD 201

- 12.2 Persistence and degradability No further relevant information available.
- · Other information: There are no data available about the preparation.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated under adherence to official regulations.

The waste code numbers mentioned are recommendations based on the probable use of the product.

	The final control of the production of the produ		
· Europea	· European waste catalogue		
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES		
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics		
07 06 99	wastes not otherwise specified		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST		
16 01 00	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)		
16 01 99	wastes not otherwise specified		

- · Uncleaned packagings:
- · Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.07.2023 Version number 11 (replaces version 10) Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 8)

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according instruments	y to IMO Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications
UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Chemical safety assessment
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 11 (replaces version 10) Printing date 19.07.2023 Revision: 19.07.2023

Trade name: TRW GLK 1 Brake Grease

(Contd. from page 9)

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing data specification sheet:

DEKRA This Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.