

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.01.2015

Version number 1

Revision: 30.01.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - **Trade name: TRW Montageflüssigkeit (TRW Mounting Lubricant)**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - **Application of the substance / the mixture**

Mounting lubricant
Lubricating oil
Professional use
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**

TRW Automotive Aftermarket
Stratford Road
Shirley
West Midlands
B90 4AX
United Kingdom
Tel. +44.121.506.5000
Fax +44.121.506.5001
www.trwaftermarket.com
cst.uk@trw.com
 - **Informing department:** Tel.: +49 (0) 2631 / 912 - 0
- **1.4 Emergency telephone number:**

Poison Information Center Munich
Phone: +49 (0) 89 - 19 240
Information in German and English

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**

The product is not classified according to the CLP regulation.
 - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Void
 - **Information concerning particular hazards for human and environment:**

Based on current available information the product / substance / mixture does not require labelling.
 - **Classification system:**

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.
- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void
 - **Additional information:**

Safety data sheet available on request.
- **2.3 Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.01.2015

Version number 1

Revision: 30.01.2015

Trade name: TRW Montageflüssigkeit (TRW Mounting Lubricant)

(Contd. from page 1)

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description:

Mixture of the substances listed below including additives not requiring identification.

· Dangerous components:

CAS: 68411-46-1	Benzenamine, N-phenyl-, reaction products with	1-<2.5%
EINECS: 270-128-1	2,4,4-trimethylpentene	
Reg.nr.: 01-2119491299-23-X	R52/53	
	⚠ STOT RE 2, H373; Aquatic Chronic 3, H412	

- **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- **General information** Take affected persons into the open air.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Remove contaminated clothing.

Wash with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth.

Call a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

sickness

Gastric or intestinal trouble

vomiting

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Do not inhale smoke and combustion products.

During incomplete combustion carbon monoxide can be formed.

Can be released in case of fire:

Nitrogen oxides (NO_x)

· 5.3 Advice for firefighters

- **Protective equipment:** Wear self-contained breathing apparatus.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.01.2015

Version number 1

Revision: 30.01.2015

Trade name: TRW Montageflüssigkeit (TRW Mounting Lubricant)

(Contd. from page 2)

· **Additional information**

- Remove goods in stock from incendiary zone, if possible.
- Use water to keep fire exposed containers cool.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

· **6.2 Environmental precautions:**

Clean contaminated surfaces thoroughly.
Do not allow to enter drainage system, surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of contaminated material as waste according to section 13.

Clean the accident area carefully; suitable cleaners are:

warm water and cleaning agent

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Don't eat, drink or smoke while working.

· **Information about protection against explosions and fires:**

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

Store only in the original container.

Keep container tightly closed and store upright to prevent any run out of product.

· **Information about storage in one common storage facility:**

Store away from oxidising agents.

Store away from foodstuffs.

· **Further information about storage conditions:**

Keep away from ignition sources.

Store in cool, dry conditions in well sealed containers.

Protect from direct sunlight.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:**

The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.01.2015

Version number 1

Revision: 30.01.2015

Trade name: TRW Montageflüssigkeit (TRW Mounting Lubricant)

(Contd. from page 3)

· 8.2 Exposure controls

· Personal protective equipment

· General protective and hygienic measures

Avoid close or long term contact with the skin.
Wash hands during breaks and at the end of the work.

· Breathing equipment:

Not necessary if room is well-ventilated.
Use breathing protection in case of insufficient ventilation.
Filter B.

· Protection of hands:

Protective gloves, e.g. nitril rubber impregnated cotton gloves.
To avoid skin problems reduce the wearing of gloves to the required minimum.

· Material of gloves

Chloroprene rubber, CR
Nitrile rubber, NBR

· Penetration time of glove material

In case of a layer thickness of 0.33 mm the penetration time is longer than 480 minutes.

· Eye protection: Tightly sealed safety glasses.

· Limitation and supervision of exposure into the environment

Avoid the uncontrolled release into the environment.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Fluid
· Colour:	Red
· Odour:	Characteristic
· Odour threshold:	Not determined.

· pH-value:	Not applicable.
-------------	-----------------

· Change in condition

· Melting point/Melting range:	Not determined
· Boiling point/Boiling range:	Not determined

· Flash point:	> 200 °C
----------------	----------

· Inflammability (solid, gaseous)	Not applicable.
-----------------------------------	-----------------

· Self-inflammability:	Product is not selfigniting.
------------------------	------------------------------

· Danger of explosion:	Product is not explosive.
------------------------	---------------------------

· Vapour pressure:	Not determined.
--------------------	-----------------

· Density at 20 °C	0.96 g/cm ³
· Evaporation rate	Not determined.

· Solubility in / Miscibility with

· Water:	Insoluble
----------	-----------

· Partition coefficient (n-octanol/water):	Not determined.
--	-----------------

· Viscosity:

· dynamic:	Not determined.
------------	-----------------

(Contd. on page 5)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.01.2015

Version number 1

Revision: 30.01.2015

Trade name: TRW Montageflüssigkeit (TRW Mounting Lubricant)

(Contd. from page 4)

· kinematic at 40 °C:	115 mm ² /s
· Solvent content:	
· Organic solvents:	0.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Avoid contact with strong oxidizing agents.
- **10.6 Hazardous decomposition products:**
None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity:**
 - **Primary irritant effect:**
 - **on the skin:** No irritant effect.
 - **on the eye:** Splashes can cause temporary eye irritation.
 - **Sensitisation:**
Sensitive persons can possibly have allergic reactions. This is also valid below the fixed levels of exposure.
 - **Additional toxicological information:**
The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

SECTION 12: Ecological information

- **12.1 Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** There are no data available about the preparation.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.01.2015

Version number 1

Revision: 30.01.2015

Trade name: TRW Montageflüssigkeit (TRW Mounting Lubricant)

(Contd. from page 5)

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

The waste code numbers mentioned are recommendations based on the probable use of the product.

Must be specially treated under adherence to official regulations.

- **European waste catalogue**

07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
07 06 99	wastes not otherwise specified
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 01 00	end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)
16 01 99	wastes not otherwise specified 16.2.2001 L 47/23 Official Journal of the European Communities EN

- **Uncleaned packagings:**

- **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- **14.1 UN-Number**

- **ADR, ADN, IMDG, IATA** Void

- **14.2 UN proper shipping name**

- **ADR, ADN, IMDG, IATA** Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**
- **Class** Void

- **14.4 Packing group**

- **ADR, IMDG, IATA** Void

- **14.5 Environmental hazards:**

- **Marine pollutant:** No

- **14.6 Special precautions for user** Not applicable.

- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.01.2015

Version number 1

Revision: 30.01.2015

Trade name: TRW Montageflüssigkeit (TRW Mounting Lubricant)

(Contd. from page 6)

- | | |
|--|--|
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | - |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- **Labelling according to Regulation (EC) No 1272/2008** Void
 - **Hazard pictograms** Void
 - **Signal word** Void
 - **Hazard statements** Void

· National regulations

- **Water hazard class:**
Water hazard class 1 (Self-assessment): slightly hazardous for water.

- | |
|--|
| · Substances of very high concern (SVHC) according to REACH, Article 57 |
| None of the ingredients is contained. |

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H373 May cause damage to the liver through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with:
DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,
phone: (+49) 511 42079 - 0, reach@dekra.com.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

GB